



FreeStyle Linear Drains™

Linear Drain with Membrane Clamping Collar

U.S. Patent No. 8,474,068 and Patents Pending: Canada & EP Publication No. 2354339






FreeStyle Linear Drains™

Linear Drain with Membrane Clamping Collar

Design Creativity

- Contemporary styling with a selection of seven drain lengths and brushed stainless steel or tile top strainers
- Allows the use of larger tiles for greater design flexibility
- Low profile - ideal for barrier-free applications



Pyramid¹ Strainer



Slotted Strainer



Cross-Hatch Strainer



Wave Strainer



Tile Top² Strainer

¹Pyramid strainer complies with ADA guidelines for handicapped accessible showers.

²Install your tile in the strainer



Applications

Residential New Construction & Remodeling

- Off-set outlet location designed for use with standard floor joists
- Easy installation with no substrate modification needed
- Flat bottom — no shimming or leveling needed

Healthcare Facilities

- Ideal for use in barrier-free/ADA showers
- One-piece base construction with low profile and no seams

Hospitality


- Customizable drains* for large projects
- Install at thresholds or exits for overflow control

Multiple Shower

- High capacity (36 gpm) for showers with multiple shower heads
- Removable internal pre-strainer for ease of maintenance

Exterior Decks

- Connect multiple drains to span longer areas, such as pool decks
- Drain materials are suitable for outdoor use



Installation Versatility

Easy to install

- Fasten the Freestyle Linear Drain to the floor, tie in to the waste pipe and attach membrane clamping collar
- Flat bottom and internal slope

Complete installation systems

- Use with NoblesSeal® TS for most the dependable waterproofing
- Use with Chloraloy® and the Full Mortar Bed Kit for a traditional full mortar bed method installation

Waterproofing Assured


- Clamping collar ensures watertight connection
- Waste pipe fastens directly to drain
- One-piece construction - no welds or seams that could leak



Standard Sizes:

| | | 24" Drain | 32" Drain | 36" Drain | 40" Drain | 48" Drain | 54" Drain | 60" Drain |
|-------------------|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Drain Base Length | A | 24" | 32" | 36" | 40" | 48" | 54" | 60" |
| Strainer Length* | B | 21-3/4" | 29-3/4" | 33-3/4" | 37-3/4" | 45-3/4" | 51-3/4" | 57-3/4" |
| Hole Center | C | 15-3/4" | 19-1/2" | 21-3/4" | 23-3/4" | 27-3/4" | 30-3/4" | 33-3/4" |
| Thickness | D | 1-1/4" | 1-3/8" | 1-3/8" | 1-7/16" | 1-1/2" | 1-9/16" | 1-5/8" |

*Deduct 3/8" for Tile Top Strainers



Installation Systems:

Thin-Bed Method

- NobleSeal TS
- NobleBond EXT
- NobleSealant 150

Full Mortar Bed Method

- Chloraloy CPE Shower Pan Liner
- Full Mortar Bed Adapter Kit

Listings & Approvals:

- ICC-ES PMG 1065
- UPC - IAPMO File No. 7249
- State of Massachusetts



Accessories




Connector

- Provides a continuous strainer connection between two FreeStyle Linear Drains
- 3 Connector types, see chart below:

| Joining to | → | Drain Size | | | | | | |
|------------|-----|------------|------|------|------|------|------|------|
| ↓ | | 24" | 32" | 36" | 40" | 48" | 54" | 60" |
| Drain Size | 24" | 8513 | | | | | | |
| | 32" | 8513 | 8513 | | | | | |
| | 36" | 8513 | 8513 | 8513 | | | | |
| | 40" | 8514 | 8514 | 8514 | 8515 | | | |
| | 48" | 8513 | 8513 | 8513 | 8514 | 8513 | | |
| | 54" | 8513 | 8513 | 8513 | 8514 | 8513 | 8513 | |
| | 60" | 8514 | 8514 | 8514 | 8515 | 8514 | 8514 | 8515 |

8513



8514



8515



Full Mortar Bed Adapter Kit

- For use with full mortar bed installations
- Mortar Guard protects Mud Bed erosion due to chemicals and debris
- Use with Chloraloy shower pan liner

